

	Hits	Search Text	DBs
1	1165	(file\$1 or record\$1 or document\$1) and scan\$4 and block\$1 and header\$1 and (pointer\$1 or link\$4) and (error\$6 or fault\$1 or mistake\$1 or miscalculation\$1) and (block\$1 with (free or vacant or empty)) and flag\$1 and new	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	519	L9 and @ad < "20000214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	319	L10 and match\$4 and (next with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	147	L11 and (new with (file\$1 or record\$1 or document\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	139	L12 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	126	L13 and name\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
7	47	L14 and ((logical or virtual) near9 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
8	39	L15 and test\$5 and open\$4 and exist\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	39	16 and (first with block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
10	34	16 and (first near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	33	18 and (next near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
12	55	(("4424565") or ("5247516") or ("5260933") or ("5394394") or ("5463754") or ("5473607") or ("5485595") or ("5598581") or ("5619691") or ("5721828") or ("5727206") or ("5740171") or ("5778365") or ("6292868") or ("6493804") or ("5816301") or ("5835036") or ("5838614") or ("5907856") or ("5924113") or ("5930815") or ("6021415") or ("6034897") or ("6122716") or ("6128695") or ("6134151") or ("6141249") or ("6243081")) .PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	0	20 and 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	14	21 and ((logical or virtual) near9 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
15	11	23 and (first near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	8	24 and (next near3 block\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
17	8	25 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
18	8	26 and size\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
19	8	27 and (new with (file\$1 or record\$1 or document\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
20	5	28 and (((valid or free or vacant or empty) near5 block\$1) with (number\$1 or bit\$1 or flag\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
21	0	29 and 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
22	8	20 and (((valid or free or vacant or empty) near5 block\$1) with (number\$1 or bit\$1 or flag\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB